



## Postal & delivery adress

Velodrom  
 c/o Velomax Berlin Hallenbetriebs GmbH  
 Paul-Heyse-Straße 26  
 10407 Berlin  
 Germany

## Contact

E-Mail: [booking@velomax.de](mailto:booking@velomax.de)  
 Web: [www.velodrom.de](http://www.velodrom.de)

## General information

Architect Dominique Perrault

Point-symmetric cycling track  
 made of Sybirian spruce Length 250 m

Europe' s largest self-supporting steel roof

Steel used 3.500 t

Roof diameter 115 m


Bowl diameter 142 m

Total area of property 49.262 m<sup>2</sup>

Gross floor space 93.320 m<sup>2</sup>




PARTNER & MITGLIED DES



## General information

Can be fully blacked out	
16 permanent food stands	
Trucks can enter the event area	
Max. floor load of arena and vehicle entrance	Equivalent uniform load $p=16,7 \text{ kN/m}^2$
Total ceiling load capacity	50 t (single point max. 1t)




## Dimensions

Arena including safety stripe	68 m x 38 m Approx 2.718 m <sup>2</sup>
Arena excluding safety stripe	68 m x 44 m Approx 3.233 m <sup>2</sup>
Area corridors E0, E1 and foyer	Approx 6.675 m <sup>2</sup>
Ceiling height	13,00 m



## Power supply

Arena	Over 1.800 kW
Ceiling	Over 480 kW
Car park level U1 TV & bus power	1 x 125 A CEE 1 x 63 A CEE 3 x 32 A CEE



## Capacities

Seats on stands	5.668
Standing audience inner arena	Max. 4.904
Standing corridor E1	Max. 1.110
VIP box	6 x 12
Wheelchair	up to 88



## Arena/ Infrastructure

7 offices  
15 dressing rooms  
10 artist rooms

Crewcatering (95 m<sup>2</sup>)  
1 x 63 A CEE  
2 x 32 A CEE  
4 x 16 A CEE

## Stage

Mobile stage system with stairs, skirting & railings

Stage height 1,00 m oder 1,50 m

## Sound- and lighting system

Decentralized sound system

Floodlights (cold-start HQI-discharge lamps) 159 x 2 kW  
166 x 2 x 400 W  
34 x 400 W  
40 x 250 W

Total power 474 kW

## networks

- > 1.000Mbit / 1Gbit symmetrical via fiber optic connection
- > scalable up to 10Gbit
- > 50Mbit symmetrical or 100Mbit asymmetrical via LTE uplink as a backup solution
- > different VLAN available




Production office




Car park level U1




Artist room




**1. Row seating with front stage**  
 Stage area: 18 x 12 m  
 Capacity: approx. 6.300




**1.1. Row seating, middle variant with front stage**  
 Stage area: 18 x 12 m  
 Capacity: approx. 2.600




**2. Concert with center stage, no seating**  
 Stage area: 15 x 15 m  
 Capacity: approx. 12.000




**2.1. Concert with center stage, middle variant, no seating**  
 Stage area: 15 x 15 m  
 Capacity: approx. 4.900




**3. Concert with front stage, no seating**  
 Stage area: 18 x 12 m  
 Capacity: approx. 9.000




**3.1. Concert with front stage, middle variant, no seating**  
 Stage area: 18 x 12 m  
 Capacity: approx. 4.900



**4. Parliamentary seating with side stage**  
 Stage area: 20 x 7 m  
 Capacity: approx. 1.200



**5. Sporting event with additional platforms**  
 Capacity: approx. 8.200



**6. Gala event with seating at round tables**  
 Capacity: approx. 1.900



General information	
Cloakrooms	8
Food stands (both levels)	16
Area corridor level E0	2.820 m <sup>2</sup>
Area corridor level E1	2.820 m <sup>2</sup>

## Foyer

Main foyer	
Width	21,30 m
Length	23,80 m
Area	500 m <sup>2</sup>
Power supply	1 x 32 A CEE 2 x 16 A CEE
Capacity row seating	250 pax
Capacity no seating	500 pax


Side foyers	
Width	9,50 m
Length	24,50 m
Area	je 254 m <sup>2</sup>
Power supply	2 x 32 A CEE
Capacity row seating	180 pax
Capacity no seating	315 pax
Water supply	Fresh water available Wastewater connection




Corridor level E0



Corridor level E1



Main foyer, main entrance



Side foyer

## Press room A

Width	9,40 m
Length	15,90 m
Free length	13,75 m
Height	2,95 m
Area	150 m <sup>2</sup>
Power supply	1 x 32 A CEE 16 A Schuko
Capacity row seating	154 pax
Capacity no seating	300 pax



## Press room B

Width	10,52 m
Length	12,30 m
Free length	10,85 m
Height	2,95 m
Area	130 m <sup>2</sup>
Power supply	1 x 32 A CEE 16 A Schuko
Capacity row seating	138 pax
Capacity no seating	250 pax



## General information

Can be divided with movable privacy screens into up to three sections


Rigging points	18 points 10 kN each
Maximum floor load	5 kN/ m <sup>2</sup>
Power supply	2 x 125 A CEE
Changing rooms	6

## Dimensions

Free width	27 m
Free length	49 m
Area	1.215 m <sup>2</sup>
Height	6 m

## Capacities

Seats on audience stand	198 pax
Capacity no seating	945 pax
Capacity row seating	945 pax
Capacity parliamentary seating	764 pax



## General information

Rigging points 8 Punkte à 10 kN

Power supply 2 x 63 A CEE  
2 x 32 A CEE  
4 x 16 A CEE

Capacity no seating 1.255 pax

Capacity row seating 500 pax

## Dimensions

Free width 20 m

Free length 24,50 m

Area 590 m<sup>2</sup>

Height 7,30 m

Height underneath gallery 5,70 m

Height of gallery lights 3,40 m

Free length gallery 24,50 m

